# UK Patent Application GB GB G 185 896 A

(43) Application published 5 Aug 1987


#### (51) INT CL4 (21) Application No 8602534 F41J 3/00 (22) Date of filing 3 Feb 1986 (52) Domestic classification (Edition I) A6S 32A1 32B 32X (56) Documents cited 0521641 115 3790173 (71) Applicants GB GB 0507301 Robert Douglas Cleaver, 1 Station Lane, Offord Cluny, Near Huntingdon, Cambridgeshire PE18 9RU, (58) Field of search Selvador Valderas Senchez, The Swan Public House, High Street, Offord Cluny, Neer Huntingdon, Cembridgeshire PE18 9RT ted US specifications from IPC sub-class F41J (72) inventors Robert Dougles Cleaver, Salvador Valderas Sanchez (74) Agent and/or Address for Service Barker Brettell & Duncan, 138 Hagley Road, Edgbaston, Birmingham B1 1TT

Fa1

### (54) Coin-operated electronic dart board device


(67) A dartboard 1, with sensors for detecting darts striking the scoring zones, is linked to a processor and coln mechanism, both contained in housing. S. Insertion of suitable coinage at 9 enables the system. Payouts, dependent upon scores achieved, are made at 6. A sensor 2 disables the system upon detecting a player adjacent the board, e.g. inserting darts directly into the board.

## Switchalte Coin-Operated Electronic Conficend Devise.



GB 2 185 896 /

-3 reb. 86- U2534 Switchable Coin-Operated Electronic Cartboard Devise.



### SPECIFICATION

Switchable Coin-Operated Dart Board Device

This invention relates to a switchable coin-5 operated electonic dart board device.

Dart boards are well known as a universal sport found in most public houses and clubs. The players project darts at the board and score points according to the target zone that the darts stick into.

10 Competition boards ere of bristle and metal construction on a wood or chipboard backing board.

According to the present invention the dart board is connected to the coin box housing by meens of a shielded connecting lead which passes data from

- 15 one of sixty-two or more sensors through to e processor contained within the coin-box housing. The coin-box housing also contains a coin mechanism for accepting and paying out coins and tokens. Upon receipt of a pre-determined 20 denomination of coin, the device is switched on for
- operation. Above the board and connected to the device via the shielded connecting lead is a sensor to detect invasion of the target area in order to switch the device off and eliminate cheating, i.e., to stop somebody from walking up to the dart board
- and plecing their darts directly into the winning target zones. A specific embodiment of the invention will now
- A specific embodiment of the invention will now be described by way of example with reference to 30 the accompanying drawings.
  - Fig. 1 shows the complete switchable coinoperated electronic dart board device. Fig. 2 shows a side section of the dart board and
- target zone sensor 7.
  Referring to the drawing, Fig. 1, the coln-operated electronic dart board device comprises a competition standard dartboard 1, a target area infringement sensor 2, a connecting lead 3, a coln

- mechanism and processor, a payout slot 6, a 40 standard mains lead and plug 8 and a coin acceptance slot 9.
  - in order for the board to register the area in which the board has been struck, a player would need to throw a regular standerd type of dart. Upon sticking
- 45 Into the board the dart would trip a sensor connected to that particular target zone in which the dart struck and this data/information would pass to the processor via the shielded connecting lead. A coin mechanism and payout device within the coin-
- 50 box housing would operate depending on the target zone hit by the dart and the total score of three such darts. Various pre-determined payouts would be exhievable.
- The device would be powered from a standard 55 mains plug and socket and would be coin-operated thereafter.
  - When not in use as a coln-operated electronic dart board device, the dart board alone could be pleyed for fun or sport alone.
- 60 Referring to the drawing, Fig 2, the dart board terget zone sensor is situated within the construction of the dart board and is activated by the intrusion of that particular dart board target zone by a standard projected dart.

#### CLAIMS

85

- A switchable coin-operated electronic dart board device comprising of a competition standard dart board, a processor and coin mechanism
- 70 housing, a processor and coin mechanism, a target area infringement sensor and connecting lead and e mains lead and plug.
- A switchable coin-operated electronic dart board device substantially as described herein with 75 reference to the accompanying drawings.

Printed for Her Majesty's Stationery Office by Courter Press, Learnington Spa, 8/1967, Demand No. 8991685.
Published by the Patent Office, 25 Southempton Buildings, London, WC2A 1AY, from which copies may be obtained.